Deaths among diabetics in Delni

1722. SHRI CHIMANBHAI MEHTA : Will the Minister of HEALTH AND FAMILY WELFARE be pleased to refer *to* answer to Unstarred Question 179 given in the Rajya Sabha on the 25th April, 1989 and state whether it is a fact that 53 per cent of the deaths occurring due to heart attacks and 30 per cent kidney failures in Delhi are among the diabetics ?

THE MINISTER OF STATE IN THE MINISTRY OF HEALTH AND FAMILY WELFARE (KUMARI SAROJ KHAPARDE) : No, Sir.

Conversion of CHS into a Society

1723. SHRI D. B. CHANDRE GOWDA : Will the Minister of HEALTH AND FAMILY WELFARE be pleased to state :

(a) whether the specialist Officers' Association of the Central Health Service has urged Government to convert the C.H.S. into a society, by registering it under the .society Act;

(b) if so, the reaction of Government in this regard;

(c) whether the association's views would be examined before taking any final decision in the matter; and

(d) if so, the details thereof ?

THE MINISTER OF STATE IN THE MINISTRY OF HEALTH AND FAMILY WELFARE (KUMARI SAROJ KHAPARDE) : (a) Yes, Sir.

(b) to (d) No final decision has so far been taekn by the Government in this regard.

Expenditure incurred on Narora Atomic Plant

1724. SHRI KRISHNA KUMAR BIRLA Will the PRIME MINISTER be pleased to state :

(a) what is the total amount of expenditure incurred on the Narora Atomic Power Plant so far;

(b) what percentage of the total cost is due to design defects in the plant and whether defects still exist in the design of the plant;

(c) what is the percentage of expenditure on the project is due to defective sub-standard construction of the plant;

(d) whether the C&AG in his report prepared on the said Plant has indicated the DAE On various counts; and

(e) if so, what are the details thereof stating the action taken by Government in regard thereto ?

THE MINISTER OF STATE IN THE MINISTRY OF SCIENCE AND TECHNOLOGY AND THE MINISTER OF STATE IN THE DEPARTMENTS OF OCEAN DEVELOPMENT, ATOMIC ENERGY, ELECTRONICS AND SPACE (SHRI K. R. NARAYANAN) : (a) The total expenditure incurred on the Narora Atomic Power Plant as on 31st March, 1989 is Rs. 532.02 crores.

(b.) There are no design defects in the plant.

(c) Quality checks and tests during different stages of the project execution including testing of sub-systems and systems as a whole during construction and commissioning have been done so that defective or sub-standard materials are not used in the plant.

(d) and (e) Report of the Comptroller and Auditor General of India for the year ended 31st March, 1988 includes a review on Narora Atomic Power Project. The points highlighted in the report are mainly on time and cost overruns of the project; lack of dynamic monitoring resulting in certain facilities and equipment coming up ahead of the requirements and optimistic time schedule and cost estimates at the project formulation stage which did not adequately reflect the seismic conditions at the site. Narora plant is the first of a series of 235 MWe units which is